

MATERIAL SAFETY DATA SHEET

The W. J. Ruscoe Co.

Page 1

Date Prepared: 08/26/08

Date Printed: 09/24/08

MSDS Reference No.: R-77

1. Chemical Product and Company Identification

Material Identity

Product Name: Ruscoe-Prene 56

Product Number: 56036

Generic ID: Neoprene Adhesive

Company

The Ruscoe Company

485 Kenmore Blvd.

Akron, Ohio 44301

Telephone: 330-253-8148

Emergency Telephone: 800-424-9300

(Chemtrec – 24 hours/day)

Fax: 330-253-4453

2. Composition/Information on Ingredients

Ingredients	CAS Number	Weight %	----Exposure Limits----	
			ACGIH/TLV	OSHA/PEL
Toluene	108-88-3	30-45	100 ppm	100 ppm
Light Solvent Naphtha	64742-89-8	25-35	500 ppm	500 ppm
Contains n-Hexane	110-54-3		50 ppm	50 ppm
Synthetic Rubber	9010-10-4	10-20	N/A	N/A
Phenolic Resin	N/A	10-18	N/A	N/A
Carbon Black	1333-86-4	3-8	3.5 mg/m3	3.5 mg/m3
Hydrated Amorphous Silica	7631-86-9	1-2	N/A	N/A
Zinc Oxide	1314-13-2	0.5-1	N/A	N/A
Magnesium Oxide	1309-48-4	0.5-1	N/A	N/A

*** All ingredients in this product are listed in the T.S.C.A. inventory.

3. Physical Data

VOC Content: 600 g/liter

Percent VOC: < 70

Boiling Range: 131 – 250 ° F.

Vapor Density: Heavier than air.

Evaporation Rate: 1.8-6 x n-Butyl Acetate

Liquid Density: Lighter than water.

Continued on next page

MATERIAL SAFETY DATA SHEET

The W. J. Ruscoe Co.

Page 3

Date Prepared: 08/26/08

Date Printed: 09/24/08

MSDS Reference No.: R-77

6. Reactivity Data

Stability: () Unstable (x) Stable
Hazardous Polymerization: () May occur (x) Will not occur

-Incompatibility:

Strong oxidizing agents

-Hazardous Decomposition Products:

Carbon dioxide, carbon monoxide, smoke, hydrogen chloride, and others.

7. Spill or Leak Procedures

-Steps to be Taken in Case Material is Released or Spilled:

Eliminate all ignition sources, provide adequate ventilation, avoid breathing vapors, avoid eye and skin contact. Wipe up with rags, paper or other absorbent. Place in suitable closed containers for disposal.

-Waste Disposal Method:

This material if discarded, is hazardous and must be properly stored, transported, and disposed of in accordance with applicable local, state, and federal regulations.

8. Special Protection Information

-Respiratory Protection:

For air contaminants above TLV or permissible limits use NIOSH approved respirator for organic vapors.

-Ventilation:

Local exhaust to keep vapors below TLV or permissible limits.

-Protective Gloves:

Impervious.

-Eye Protection:

Chemical goggles.

-Other Protective Equipment:

Eye wash and safety shower.

9. Special Precautions

-Precautions to be Taken in Handling and Storing:

Use only in a well-ventilated area. Eliminate all sources of ignition such as sparks, flames, and non-explosion proof devices. Avoid prolonged or repeated skin contact or breathing of vapors. For industrial use only, keep out of reach of children. Store in tightly closed containers, in a cool dry place, away from all sources of ignition and heat. Large containers should be grounded and interconnected to prevent static buildup during transfer operations. Empty containers of this material may be hazardous since they may contain residual liquid, vapors or dust.

-Other Precautions:

In addition to any listed precautions, you should consult your occupational safety and health specialist to insure that the handling procedures will be adequate and in compliance with applicable laws and regulations.

Continued on next page

MATERIAL SAFETY DATA SHEET

The W. J. Ruscoe Co.

Page 4

Date Prepared: 08/26/08

Date Printed: 09/24/08

MSDS Reference No.: R-77

Disclaimer of Liability: The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. The Ruscoe Company, however, makes no warranties express or implied, as to its accuracy and assumes no liability arising from its use by others. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the users.

10. Additional Regulatory Information

-SARA TITLE III SECTION 313:

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

CAS#	Chemical Name	Percent by Weight
108-88-3	Toluene	<39.

-Prop 65 (Carcinogen):

Warning: This product contains a chemical known to the state of California to cause cancer.

CAS#	Chemical Name
-----	-----

Product may contain trace amounts of California Proposition 65 listed chemicals.

-Prop 65 (Teratogen):

Warning: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

CAS#	Chemical Name
-----	-----

None

-Prop 65 (Both Carcinogen and Teratogen):

Warning: This product may contain a chemical known to the state of California to cause cancer or birth defects or other reproductive harm.

CAS#	Chemical Name
-----	-----

None

End of MSDS